



IP CAMERAS NVR DEVICES

TURK EXIM
Export Import Trade Company



IP CAMERAS

WGCN18-1710



- n 1/3" CMOS sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 3,6 mm fixed lens
- n 30 LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case



ONVIF



WGCN18-1813



- n 1/3" CMOS sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 3,6 mm fixed lens
- n 30 LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case

ONVIF



WGCN18-1920



- n 1/3" COSMOS sensor
- n 2.0 Megapixel
- n 1280x1080 resolution, 1080P
- n 3,6 mm fixed lens
- n 42 LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case



ONVIF



IP CAMERAS

WGCN18-3110



- n 1/3" CMOS sensor
- n 1.0 Megapixel
- n 1280x720 resolution, 720P
- n 4 mm fixed lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Indoor use
- n Metal case



WGCN18-3113



- n 1/3" CMOS sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 4 mm fixed lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Indoor use
- n Metal case



IP CAMERAS


WGCN32-1210



- n 1/3" CMOS sensor
- n 1.0 Megapixel
- n 1280x720 resolution, 720P
- n 4 mm fixed lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case
- n Microphone input



ONVIF



WGCN32-1213



- n 1/3" CMOS sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 4 mm fixed lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case
- n Microphone input

ONVIF



WGCN32-1313



- n 1/3" CMOS sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 4 mm fixed lens
- n 5 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case
- n Microphone input



ONVIF



IP CAMERAS

■ EVCN - 9411



- n 1/3" SONY EXMOR sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 0,1 Lux light sensitivity
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Indoor use
- n Metal case
- n Microphone input



SONY
Exmor

ONVIF



■ EVCN - 9412



- n 1/2,8" SONY EXMOR sensor
- n 2.0 Megapixel
- n 1280x1080 resolution, 1080P
- n 0,1 Lux light sensitivity
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Indoor use
- n Metal case
- n Microphone input
- n Lens not included

SONY
Exmor

ONVIF



IP CAMERAS

EVCN - 3203



- n 1/2,8" SONY EXMOR sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 4 mm fixed lens
- n 1 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n PAL / NTSC 25/30 Fps Real Time
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case
- n Built-in microphone

Built-in
Microphone



SONY
Exmor

ONVIF



EVCN - 3204



Built-in
Microphone

- n 1/2,8" SONY EXMOR sensor
- n 2 Megapixel
- n 1920x1080 resolution, 1080P
- n 4 mm fixed lens
- n 1 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n PAL / NTSC 25/30 Fps Real Time
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case
- n Built-in microphone

SONY
Exmor

ONVIF



IP CAMERAS

EVCN - 9424



- n 1/2,8" SONY EXMOR sensor
- n 2.0 Megapixel
- n 1920x1080 resolution, 1080P
- n 4 mm fixed lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case



SONY Exmor ONVIF



EVCN - 9421



- n 1/3" SONY EXMOR sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 4 mm fixed lens
- n 4 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case

SONY Exmor ONVIF



EVCN - 9422



- n 1/2,8" SONY EXMOR sensor
- n 2.0 Megapixel
- n 1920x1080 resolution, 1080P
- n 4-9 mm Varifocal lens
- n 4 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case



SONY Exmor ONVIF



IP CAMERAS

WGCN18 - SA13



- n 1/3" Progressive Scan Sensor
- n 1.3 Megapixel
- n 10x Optical Zoom
- n 1280x960 resolution
- n 30IR LED
- n 256 Preset Point
- n ONVIF communication protocol
- n Mechanical IR Cut Filter
- n BLC, WDR, AGC, AWB On/Off
- n Auto Tour Range
- n 360 Degree Endless Tour
- n Built-in 7A 12V Adapter
- n H.264 Compression Format
- n 2D + 3D Digital Noise Reduction



WGCN18 - SC20



- n 1/2,8" SONY EXMOR Sensor
- n 2.0 Megapixel
- n 10x Optical Zoom
- n 1920x1080 resolution
- n 6 ARRAY LED
- n 256 Preset Point
- n ONVIF communication protocol
- n Mechanical IR Cut Filter
- n BLC, WDR, AGC, AWB On/Off
- n Auto Tour Range
- n 360 Degree Endless Tour
- n Built-in 7A 12V Adapter
- n H.264 Compression Format
- n 2D + 3D Digital Noise Reduction





- n 1/2,8" SONY EXMOR Sensor
- n 2.0 Megapixel
- n 20x Optical Zoom
- n 1920x1080 resolution
- n 3 Laser Led
- n LEDs with zoom lens
- n 256 Preset Point
- n ONVIF communication protocol
- n Mechanical IR Cut Filter
- n BLC, WDR, AGC, AWB On/Off
- n Auto Tour Range
- n 360 Degree Endless Tour
- n Built-in 7A 12V Adapter
- n H.264 Compression Format
- n 2D + 3D Digital Noise Reduction

LEDs With
Zoom Lens



20x Optical Zoom
Camera Lens

20x Optical Zoom
Infrared Lens

NVR DEVICES

EVDN - 521A



- n Audio Recording
- n 1x3 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry Windows, Android
- n Multilanguage Menu
- n Channel NVR



EVDN - 523B



- n Audio Recording
- n 2x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry Windows, Android
- n Multilanguage Menu
- n Channel NVR



EVDN - 523C



- n Audio Recording
- n 2x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry Windows, Android
- n Multilanguage Menu
- n Channel NVR



NVR DEVICES

EVDN - 524C



- n Audio Recording
- n 4x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry
Windows, Android
- n Multilanguage Menu
- n Channel NVR



EVDN - 524D



- n Audio Recording
- n 4x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry
Windows, Android
- n Multilanguage Menu
- n Channel NVR



NVR DEVICES

WGDN32 - 9104



- n Audio Recording
- n 1x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry
Windows, Android
- n Multilanguage Menu
- n Channel NVR



ONVIF



WGDN32 - 9208



- n Audio Recording
- n 2x4 TB HDD Support
- n Max. 3 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry
Windows, Android
- n Multilanguage Menu
- n Channel NVR

ONVIF



WGDN32 - 9216



- n Audio Recording
- n 2x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry
Windows, Android
- n Multilanguage Menu
- n Channel NVR



ONVIF



NVR DEVICES

WGDN32 - 9325



- n Audio Recording
- n 4x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry
Windows, Android
- n Multilanguage Menu
- n Channel NVR



WGDN32 - 9332



- n Audio Recording
- n 4x4 TB HDD Support
- n Max. 4 Channel Playback
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n View from Iphone, Blackberry
Windows, Android
- n Multilanguage Menu
- n Channel NVR





TURK EXIM
Export Import Trade Company



ANALOG CAMERAS RECORDING DEVICES



ANALOG DOME CAMERAS

HGC - 1123PI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 600 TVL resolution
- n 3,6 mm fixed lens
- n 36 IR LED
- n Plastic case



HGC - 1149HI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 960 H resolution
- n 3,6 mm fixed lens
- n 48 IR LED
- n Indoor use
- n Metal case

HGC - 1124HI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 960 H resolution
- n 3,6 mm fixed lens
- n 4 ARRAY LED
- n Plastic case



HGC-1144WD



- n 1/3" Sony Progressive Scan
- n 700 TVL resolution
- n True Day&Night
- n 3,6 mm fixed lens
- n 4 ARRAY LED
- n Metal case
- n OSD Menu
- n WDR Features

ANALOG DOME CAMERAS

■ EVCA - 9403



- n 1/3" SONY CCD
- n True Day&Night
- n 540 TVL resolution
- n 3,6 mm fixed lens
- n 22 IR LED
- n Plastic case
- n Indoor use

■ EVCA - 9404



- n 1/3" SONY EFFIO CCD
- n True Day&Night
- n 700 TVL resolution
- n 2,8-12 mm varifocal lens
- n BLC, HLC, WDR, On/Off
- n 22 IR LED
- n OSD menu



■ HGC - 1003VI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night
- n 600 TVL resolution
- n 3,6 mm fixed lens
- n 22 IR LED
- n Plastic case

■ HGC - 1041VI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night
- n 600 TVL resolution
- n 3,6 mm fixed lens
- n 36 IR LED
- n Metal case
- n Inc. bracket



NIGHT VISION CAMERAS

HGC - 1048PI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 600 TVL resolution
- n 3,6 mm fixed lens
- n 48 IR LED
- n Original bracket

HGC - 1002TI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 4 mm fixed lens
- n 2 ARRAY LED
- n Metal case
- n Original bracket



HGC - 1043TI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 4 mm fixed lens
- n 36 BIG LED
- n Metal case
- n Inc. bracket

HGC - 3302VI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 600 TVL resolution
- n 2 ARRAY LED
- n 4 mm fixed lens
- n Metal case
- n Inc. bracket



NIGHT VISION CAMERAS

HGC - 1084TI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 4 mm fixed lens
- n 84 IR LED
- n Metal case



HGC - 1061TI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 4mm fixed lens
- n 42 IR LED
- n Metal case
- n Original bracket



HGC - 1062TI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 2,8 -12 mm varifocal lens
- n 42 IR LED
- n Metal case
- n Original bracket



HGC - 1052TI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 2,8 -12 mm varifocal lens
- n 42 IR LED
- n Metal case
- n Original bracket



NIGHT VISION CAMERAS

HGC - 1064TI



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL Sony CCD
- n 2,8-12 mm Varifocal Lens
- n 64 IR LED
- n Big metal case
- n Original bracket



EVCA - 7214



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 3,6mm fixed lens
- n 36 IR LED
- n Metal case
- n Original bracket

EVCA - 7216



- n 1/3" Progressive Scan
- n IRMOS Sensor
- n True Day&Night,
- n 800 TVL resolution
- n 4mm fixed lens
- n 42 IR LED
- n Metal case
- n Original bracket



EVCA - 7206



- n 1/3" Progressive Scan
- n True Day&Night
- n 800 TVL resolution
- n 36 IR LED
- n 4 mm fixed lens
- n Antivandal box
- n Outdoor & Indoor use
- n Metal case
- n Original bracket

DVR DEVICES

HGD - 520AH



- n 960H Recorder
- n Recording Resolution 960x576px
- n 4 Video 4 Audio Input
- n VGA, BNC, HDMI ve Audio Output
- n H.264 Recording Format
- n Real Time (100/100 fps)
- n 3 TBB HDD,
- n Mouse, Remote control & 2xUSB
- n Multilanguage Menu and Network Interface
- n View from Iphone, Blackberry
- n USB Flash Drive



HGD - 520BH



- n 960H Recorder
- n Recording Resolution 960x576px
- n 8 Video 4 Audio Input
- n VGA, BNC, HDMI ve Audio Output
- n H.264 Recording Format
- n Real Time (200/200 fps)
- n 3 TBB HDD,
- n Mouse, Remote control & 2xUSB
- n Multilanguage Menu and Network Interface
- n View from Iphone, Blackberry
- n USB Flash Drive



DVR DEVICES

EVDA - 521A



- n 4 Video 1 Audio Input
- n Real Time D1 Recording (100/100 fps)
- n Real Time 2 channel
960H 6 channel CIF (200/200 fps)
- n H.264 Recorder
- n VGA, BNC, HDMI ve Audio Output
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 2xUSB
- n Network Playback and Backup
- n 3 TB HDD Support
- n View from Iphone, Blackberry
- n Multilanguage Menu
- n AVI Backup



EVDA - 521B



- n 8 Video 1 Audio Input
- n Real Time Recording (200/200 fps)
- n 2 channel D1 Recording
- n H.264 Recorder
- n VGA, BNC, HDMI ve Audio Output
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 2xUSB
- n Network Playback and Backup
- n 3 TB HDD Support
- n View from Iphone, Blackberry
- n Multilanguage Menu
- n AVI Backup



EVDA - 521C



- n 16 Video 1 Audio Input
- n Real Time Recording (400/400 fps)
- n 2 channel D1 Recording
- n H.264 Recorder
- n VGA, BNC, HDMI ve Audio Output
- n P2P Cloud
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n Mouse Tekerleği ile Zoom
- n Mouse, Remote control & 2xUSB
- n Network Playback and Backup
- n 3 TB HDD Support
- n View from Iphone, Blackberry
- n Multilanguage Menu
- n AVI Backup



DVR DEVICES

EVDA - 523C



- n 16 Video 16 Audio Input
- n FULL D1 Recording
- n Real Time Recording (400/400 fps)
- n 16 Channel Playback
- n H.264 Compression Format
- n VGA, BNC, HDMI ve Audio Output
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 2xUSB
- n Network Playback and Backup
- n 2x3 TB HDD Support
- n View from Iphone, Blackberry
- n Multilanguage Menu
- n AVI Backup



EVDA - 524C



- n 16 Video 16 Audio Input
- n FULL D1 Recording
- n Real Time Recording (400/400 fps)
- n 16 Channel Playback
- n H.264 Compression Format
- n VGA, BNC, HDMI ve Audio Output
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n E-SATA Input
- n Network Playback and Backup
- n 8x3 TB HDD Support
- n View from Iphone, Blackberry
- n Multilanguage Menu
- n AVI Backup

EVDA - 524E



- n 32 Video 16 Audio Input
- n Real Time Recording (800/800 fps)
- n 16 Channel Playback
- n H.264 Compression Format
- n VGA, BNC, HDMI ve Audio Output
- n P2P Support (Cloud)
- n QR Barcode with Phone Access
- n 3G USB Modem Support
- n With Mouse Wheel Zoom
- n Mouse, Remote control & 3xUSB
- n Network Playback and Backup
- n 8x3 TB HDD Support
- n View from Iphone, Blackberry
- n Multilanguage Menu
- n AVI Backup



SUPPLIES

HGA-P0312B

- n 3A 12V Adapter
- n Short-circuit protection
- n Surge Protection
- n High Voltage Protection



HGA-P0512B

- n 5A 12V Adapter
- n Short-circuit protection
- n Surge Protection
- n High Voltage Protection



HGA-P1012C

- n 10A 12V Adapter
- n Short-circuit protection
- n Surge Protection
- n High Voltage Protection



HGA-P1012B

- n 3A 12V Adapter
- n Short-circuit protection
- n Surge Protection
- n High Voltage Protection



HGA-DCJ01

- n 12 V power socket



HGA-BNC01

- n BNC Connector



HGA-MIC01

- n External microphone



HGA-BNC02

- n BNC Connector



IP NETWORK PRODUCTS

HGA-IPP101

- n IP DC cable (1 pc)
- n "Cat-5 cable for 50-70 metres distance can carry 12V"



HGA-IPP103

- n IP POE cable
- n "Cat-5 cable for 60-100 metres distance can carry 12V"



IP CAMERAS

EVCN - 9425



- n 1/3" SONY EXMOR sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 2,8-12 mm Varifocal Lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case



SONY
Exmor

ONVIF



EVCN - 3201



- n 1/3" SONY EXMOR sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 4 mm fixed lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case
- n Microphone input

SONY
Exmor

ONVIF



EVCN - 3202



- n 1/2,8" SONY EXMOR sensor
- n 2.0 Megapixel
- n 1920x1080 resolution, 1080P
- n 2,8 - 12 mm Varifocal lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case
- n Microphone input



SONY
Exmor

ONVIF



IP CAMERAS

WGCN18-3213



- n 1/3" CMOS sensor
- n 1.3 Megapixel
- n 1280x960 resolution, 960P
- n 4 mm fixed lens
- n 2 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case



ONVIF

1.3
MEGAPIXEL

960p

H.264

WGCN18-3320



- n 1/3" CMOS sensor
- n 2.0 Megapixel
- n 1280x1080 resolution, 1080P
- n 4 mm fixed lens
- n 4 ARRAY LED
- n H.264 Compression Format
- n ONVIF communication protocol
- n BLC, WDR, AGC, AWB On/Off
- n Mechanical IR Cut Filter
- n Free CMS software
- n True Day & Night
- n Metal case



ONVIF

2.0
MEGAPIXEL

H.264

Full HD
1080P



AHD CAMERA

TURK EXIM
Export Import Trade Company



AHD CAMERAS

EVCH-1900



- n 1/3 Progressive Scan
- n 1.0 Megapixel
- n 1280x720 H resolution
- n 4 mm fixed lens
- n 4 ARRAY LED
- n BLC, WDR, AGC, AWB, On/Off
- n Mechanical IR Cut Filter
- n True Day&Night,
- n Metal case



EVCH-1901



- n 1/3 Progressive Scan
- n 1.0 Megapixel
- n 1280x720 H resolution
- n 4 mm fixed lens
- n 42 ARRAY LED
- n BLC, WDR, AGC, AWB, On/Off
- n Mechanical IR Cut Filter
- n True Day&Night,
- n Metal case



EVCH-1902



- n 1/3 Progressive Scan
- n 1.0 Megapixel
- n 1280x720 H resolution
- n 4-9 mm fixed lens
- n 42 ARRAY LED
- n BLC, WDR, AGC, AWB, On/Off
- n Mechanical IR Cut Filter
- n True Day&Night,
- n Metal case



AHD DEVICES

EVDH-301A



- n Real Time 4x720P; 2x720P – 2x960H; 4x960H
- n HDMI, VGA
- n 4 Video; 4 Audio Input
- n 1X4 TV HDD
- n H.264 Recording Format
- n P2P Cloud
- n 3G USB Modem
- n Mouse, Remote control & 3xUSB
- n View from Iphone, Blackberry, Android
- n Multilanguage Menu



EVDH-301B



- n Real Time 8x720P; 4x720P – 4x960H; 8x960H
- n HDMI, VGA
- n 4 Video; 4 Audio Input
- n 1X4 TV HDD
- n H.264 Recording Format
- n P2P Cloud
- n 3G USB Modem
- n Mouse, Remote control & 3xUSB
- n View from Iphone, Blackberry, Android
- n Multilanguage Menu



EVDH-302C



- n Real Time 16x720P; 8x720P – 8x960H; 16x960H
- n HDMI, VGA
- n 4 Video; 4 Audio Input
- n 2X4 TV HDD
- n H.264 Recording Format
- n P2P Cloud
- n 3G USB Modem
- n Mouse, Remote control & 3xUSB
- n View from Iphone, Blackberry, Android
- n Multilanguage Menu





TURK EXIM
Export Import Trade Company

www.turkexim.com.tr